

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"6051279"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 18:15
L2	14	"5881645"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 18:15
S1	0	(coating and method and (mettallic adj foil)).ti.	US-PGPUB; USPAT	OR	OFF	2004/09/13 14:32
S2	1	(coating and method and (metallic adj foil)).ti.	US-PGPUB; USPAT	OR	OFF	2004/09/13 14:33
S3	5	"4051274".URPN.	USPAT	OR	OFF	2004/09/13 14:33
S4	1	(metallic adj foil) and (silica adj colloid) and (fusion adj temperature)	US-PGPUB; USPAT	OR	OFF	2004/09/13 14:35
S5	0	(metal adj foil) and (silica adj colloid) and (fusion adj temperature)	US-PGPUB; USPAT	OR	OFF	2004/09/13 14:35
S6	0	(metal adj foil) and (colloid) and (fusion adj temperature)	US-PGPUB; USPAT	OR	OFF	2004/09/13 14:35
S7	2	(foil) and (colloid) and (fusion adj temperature)	US-PGPUB; USPAT	OR	OFF	2004/09/16 12:12
S8	22	"4154876".URPN.	USPAT	OR	OFF	2004/09/13 14:38
S9	26	(foil)with (colloid)	US-PGPUB; USPAT	OR	OFF	2005/03/11 14:12
S10	1	("2518944").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/13 14:50
S11	1	("6214474").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/13 14:51
S12	1	("6084352").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/13 14:52
S13	1	("5754005").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/13 14:52

S14	20	((("3821587") or ("3926574") or ("3956660") or ("4015465") or ("4539509") or ("4682071") or ("4739219") or ("4749902") or ("4755715") or ("4766346") or ("4835439") or ("4889776") or ("4927714") or ("4942732") or ("5021711") or ("5223045") or ("5310374") or ("5387840") or ("5402038") or ("5754005"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/13 15:57
S15	1	"3926574".URPN.	USPAT	OR	OFF	2004/09/13 15:10
S16	6	"4749902".URPN.	USPAT	OR	OFF	2004/09/13 15:13
S17	6	"4835439".URPN.	USPAT	OR	OFF	2004/09/13 15:15
S18	3	((("3793615") or ("3668391") or ("3540944"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/13 15:27
S19	0	(collidal adj silica)and (fusion Near temperature)and corrosion	US-PGPUB; USPAT	OR	OFF	2004/09/13 15:29
S20	0	collidal adj silica adj bath	US-PGPUB; USPAT	OR	OFF	2004/09/13 15:29
S21	0	collidal adj silica adj film	US-PGPUB; USPAT	OR	OFF	2004/09/13 15:29
S22	14	(colloidal adj silica)and (fusion Near temperature)and corrosion	US-PGPUB; USPAT	OR	OFF	2004/09/13 15:38
S23	15	"5069816".URPN.	USPAT	OR	OFF	2004/09/13 15:32
S24	11	"4610929".URPN.	USPAT	OR	OFF	2004/09/13 15:36
S25	21	(colloidal adj silica)and (fusion Near temperature)and foil	US-PGPUB; USPAT	OR	OFF	2004/09/13 15:41
S26	31	(colloidal adj silica)and (fusion)and foil and lamp	US-PGPUB; USPAT	OR	OFF	2004/09/13 15:42
S27	4	(suspension with colloid) and (fusion adj temperature)	US-PGPUB; USPAT	OR	OFF	2004/09/16 14:35
S28	2	("4889630"   "4983423").PN.	USPAT	OR	OFF	2004/09/16 12:30
S29	33	"4983423".URPN.	USPAT	OR	OFF	2004/09/16 12:32
S30	1	("6455107").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/16 16:15
S31	2	((("6344750") or ("6232787"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/16 16:22
S32	1	("20020166964").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/16 16:19
S33	1	"20040065827"	US-PGPUB; USPAT	OR	OFF	2004/09/16 16:22

S34	26	"6344750"	US-PGPUB; USPAT	OR	OFF	2004/09/16 17:30
S35	0	"20020149381".URPN.	USPAT	OR	OFF	2004/09/16 16:24
S36	35	lamp and (metal adj foil) and lead and crimping	US-PGPUB; USPAT	OR	OFF	2004/09/16 17:53
S37	0	(tantalum adj coil)with (heat adj source)	US-PGPUB; USPAT	OR	OFF	2004/09/16 17:53
S38	0	(tantalum adj coil)with (heat )	US-PGPUB; USPAT	OR	OFF	2004/09/16 17:54
S39	28	(tantalum adj wire)with (heat )	US-PGPUB; USPAT	OR	OFF	2004/09/16 17:54
S40	0	suspension with (colliodal adj solution)	US-PGPUB; USPAT	OR	OFF	2005/01/18 18:09
S41	2	suspension and (colliodal adj solution)	US-PGPUB; USPAT	OR	OFF	2005/01/18 18:20
S42	2	(colliodal adj solution)	US-PGPUB; USPAT	OR	OFF	2005/01/18 18:24
S43	118441	(suspension with solution)	US-PGPUB; USPAT	OR	OFF	2005/01/18 18:24
S44	1	(foil)with (colloid) with (silica silicon adj dioxide))	US-PGPUB; USPAT	OR	ON	2005/03/11 14:14
S45	2	((("6,084,352") or ("6,214,474")). PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 14:16
S46	11	((("3,821,587") or ("3,926,574") or ("3,956,660") or ("4,015,465") or ("4,539,509") or ("4,682,071") or ("4,739,219") or ("4,749,902") or ("4,755,712") or ("4,766,346") or ("4,835,439")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 14:19
S47	9	((("4,889,776") or ("4,927,714") or ("4,942,732") or ("5,021,711") or ("5,223,045") or ("5,310,374") or ("5,387,840") or ("5,402,038") or ("5,754,005")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 14:28
S48	1	("4766346").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 14:33
S49	1	("6455107").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 14:41
S50	1750	(coating with (colloidal)) and (fusing melting)	US-PGPUB; USPAT	OR	OFF	2005/03/11 14:56
S51	8	(coating with (colloidal))with (fusion)	US-PGPUB; USPAT	OR	OFF	2005/03/11 15:11
S52	0	(film with (colloidal))with (fusion adj temperature)	US-PGPUB; USPAT	OR	OFF	2005/03/11 15:12
S53	0	(colloidal)with (fusion adj temperature)	US-PGPUB; USPAT	OR	OFF	2005/03/11 15:13

S54	11	(colloidal)same (fusion adj temperature)	US-PGPUB; USPAT	OR	OFF	2005/03/11 15:13
S55	44	("4728551").URPN.	USPAT	OR	OFF	2005/03/11 15:26
S56	15	((colloidal adj silica)with coating)and (fusion adj temperature)	US-PGPUB; USPAT	OR	OFF	2005/10/14 13:43
S57	0	(spray adj fusion adj method).ti.	US-PGPUB; USPAT	OR	OFF	2005/03/11 15:36
S58	0	(spray adj fusion adj method)	US-PGPUB; USPAT	OR	OFF	2005/03/11 15:37
S59	19	(spray adj fusion )	US-PGPUB; USPAT	OR	OFF	2005/03/11 15:40
S60	17	(spray near fusion )with coating	US-PGPUB; USPAT	OR	OFF	2005/03/11 15:45
S61	186	coating with dipping with (fusion melting)	US-PGPUB; USPAT	OR	OFF	2005/03/11 16:02
S62	1	("5438083").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 16:17
S63	1	("6455107").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 17:07
S64	94	sintering with (fusion near2 particles)	US-PGPUB; USPAT	OR	OFF	2005/03/11 17:55
S65	1	("6455107").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 18:39
S66	1	("4209484").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 18:39
S67	2	(colloid near5 silica) with (fusion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 16:00
S68	2	(colloid near5 silica) with (fusion adj temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 16:01
S69	143	(colloid near5 silica) and (fusion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 16:03
S70	17	(colloid near5 silica) and (fusion adj temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 16:10
S71	0	(313/58).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:10
S72	303	(445/58).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:17

S73	1367	(427/180,189).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:17
S74	6	((427/180,189,190,193,376.2,376.4).ccls.)and colloid and fusion	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:23
S75	21	((427/180,189,190,193,376.2,376.4).ccls.)and colloid\$2 and fusion	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:25
S76	94	((427/180,189,190,193,376.2,376.4).ccls.)and (colloid\$2 near3 silica) and (melting heating fusion)	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:29
S77	6	((427/180,189,190,193,376.2,376.4).ccls.)and ((colloid\$2 near3 silica) with (melting heating fusion))	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:32
S78	0	((427/180,189,190,193,376.2,376.4).ccls.)and ((colloid\$2 near3 (silicon adj dioxide))with (melting heating fusion))	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:33
S79	0	((427/180,189,190,193,376.2,376.4).ccls.)and ((colloid\$2 near3 (silicon adj oxide))with (melting heating fusion))	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:33
S80	6	((427/180,189,190,193,376.2,376.4,375).ccls.)and ((colloid\$2 near3 silica) with (melting heating fusion))	US-PGPUB; USPAT	OR	OFF	2005/08/02 16:45
S81	93	((427/180,189,190,193,376.2,376.4,375).ccls.)and ((colloid\$2 dispers\$2) with (SiO2 sio?sub?2 silica (silicon adj dioxide) (silicon adj oxide)) and (melt\$3 fusion\$))	US-PGPUB; USPAT	OR	OFF	2005/08/03 10:18
S82	529	(metal\$3 near2 foil) and ((colloid\$2 dispers\$2) with (SiO2 sio?sub?2 silica (silicon adj dioxide) (silicon adj oxide)) and (melt\$3 fusion\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:29
S83	479	(metal\$3 near2 foil) and ((colloid\$2 dispers\$2) with (SiO2 sio?sub?2 silica (silicon adj dioxide) (silicon adj oxide)) and (melt\$3 fusion\$))and @ad<"20031107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:06
S84	129	(coat\$3 with(metal\$3 near2 foil)) and ((colloid\$2 dispers\$2) with (SiO2 sio?sub?2 silica (silicon adj dioxide) (silicon adj oxide)) and (melt\$3 fusion\$))and @ad<"20031107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:12
S86	398	(445/14,58).ccls.	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:25

S87	2	(argon adj plasma adj torch)with (silica )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:26
S88	4	( plasma adj torch)with plume with (silica )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:28
S89	4	(plasma adj torch) with plume with (SiO2 sio?sub?2 silica (silicon adj dioxide) (silicon adj oxide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:30
S90	4	(plasma Near3 torch) with plume with (SiO2 sio?sub?2 silica (silicon adj dioxide) (silicon adj oxide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:30
S91	174	(plasma Near3 torch) with (SiO2 sio?sub?2 silica (silicon adj dioxide) (silicon adj oxide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:30
S92	1	(argon adj plasma )with plume with silica	US-PGPUB; USPAT	OR	OFF	2005/10/06 16:49
S93	7	("427"/\$.ccls.)and (plasma adj torch) and plume and coating and silica	US-PGPUB; USPAT	OR	OFF	2005/10/06 17:00
S94	0	("427"/\$.ccls.)and (plasma adj torch) and plume and (silica adj powder) and foil	US-PGPUB; USPAT	OR	OFF	2005/10/06 17:00
S95	171128	("427"/\$.ccls.)and (plasma adj torch) and plume and (silica adj powder) and foiland spraying	US-PGPUB; USPAT	OR	OFF	2005/10/06 17:02
S96	0	("427"/\$.ccls.)and (plasma adj torch) and plume and (silica adj powder) and foil and spraying	US-PGPUB; USPAT	OR	OFF	2005/10/06 17:02
S97	0	pasma with plume with silica with (coating spraying depositing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/06 17:03
S98	5	plasma with plume with silica with (coating spraying depositing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/06 17:06
S99	0	plasma and (plume with silica with (coating spraying depositing)) and (metal adj foil)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/06 17:07
S100	658	(427/452,453).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/14 13:33

S10 1	615	(427/452,453).CCLS.	USPAT	OR	OFF	2005/10/14 13:37
S10 2	1	(plasma adj (flame plume))with silica with (spraying coating depositing laminating) with metal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 13:39
S10 3	1513	(plasma adj (flame plume))with (spraying coating depositing laminating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 13:46
S10 4	66	((427/452,453).ccls.)and (metal\$3) and argon and silica	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 13:47
S10 5	58	((427/452,453).ccls.)and (metal\$3) and argon and silica and plasma	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 13:47
S10 6	21	("2032770"   "2032779"   "3511661"   "3742585"   "3839618"   "3871881"   "4301730"   "4328257"   "4391879"   "4507383"   "4526839"   "4596189"   "4912824"   "4932319"   "4991501"   "5093180"   "5332601"   "5382964").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/14 14:25
S10 7	8	"1238701"	EPO; JPO; DERWENT	OR	ON	2005/10/14 14:32
S10 8	32440	(colloid\$2 dispers\$3) with (siO?sub?2 silica (silicon adj dioxide)(silicon adj oxide)) and (fus\$3 melt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:36
S10 9	1615	(colloid\$2 dispers\$3) with (siO?sub?2 silica (silicon adj dioxide)(silicon adj oxide)) with (fus\$3 melt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:38
S11 0	213	(colloid\$2 dispers\$3) with (siO?sub?2 silica (silicon adj dioxide)(silicon adj oxide)) with (fus\$3 melt\$3)with (coating spraying filming dipping laminating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 15:53
S11 1	1	("3867166").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/14 15:36
S11 2	14	("3184320"   "3361588"   "3368712"   "3458301"   "3462252"   "3507687"   "3560327").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/14 15:36



S11 3	4	("3867166").URPN.	USPAT	OR	ON	2005/10/14 15:42
S11 4	8	"3867166"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 15:49
S11 5	9	(colloid\$2 dispers\$3) with (siO?sub?2 silica (silicon adj dioxide)(silicon adj oxide)) with (fus\$3 melt\$3)with (coating spraying filming dipping laminating) and foil	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:04
S11 6	8	"4749902"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:10
S11 7	458	(silica near3 colloid\$2)and (metal\$3 adj foil)and (fus\$3 melt\$3) and (coating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:17
S11 8	8	(silica near3 colloid\$2)with (metal\$3 adj foil)with coating	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:22
S11 9	2	(colloidal adj silica adj (coating film))with (corrosion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:24
S12 0	64	((colloidal adj silica) near5 (coating film))with (corrosion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:49
S12 1	4	((("4,298,768") or ("4,478,876") or ("4,808,481") or ("4,822,642")). PN.	US-PGPUB; USPAT	OR	OFF	2005/10/14 17:05
S12 2	36	(glass adj frit)with (colloidal adj silica)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 18:12